

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

	L #	Hits	Search Text	DBs
1	L1	11982	core near (wire element)	USPAT; US-PGPUB
2	L4	9209	metal\$4 near (casing sheath)	USPAT; US-PGPUB
3	L7	272	1 and 4	USPAT; US-PGPUB
4	L10	64	7 and wrap\$5	USPAT; US-PGPUB
5	L16	22907	molten adj metal	USPAT; US-PGPUB
6	L19	2	13 and 16	USPAT; US-PGPUB
7	L13	7	10 and paper	USPAT; US-PGPUB
8	L22	35	7 and 16	USPAT; US-PGPUB
9	L28	2	25 and paper	USPAT; US-PGPUB
10	L25	8	22 and wrap\$5	USPAT; US-PGPUB
11	L31	298	1 and 16	USPAT; US-PGPUB
12	L34	37	31 and wrap\$5	USPAT; US-PGPUB
13	L40	5	37 and 4	USPAT; US-PGPUB
14	L37	24	34 and (paper sheet tape)	USPAT; US-PGPUB
15	L43	2857	16 and additive	USPAT; US-PGPUB
16	L46	37	43 and 1	USPAT; US-PGPUB

	L #	Hits	Search Text	DBs
17	L52	3	49 and wrap\$5	USPAT; US-PGPUB
18	L49	17	46 and (casing sheath)	USPAT; US-PGPUB
19	L55	4	49 and insulat\$4	USPAT; US-PGPUB
20	L58	11	46 and insulat\$5	USPAT; US-PGPUB
21	L61	7	58 not 55	USPAT; US-PGPUB
22	L64	16464	core near (wire element)	EPO; JPO; DERWENT; IBM_TDB
23	L69	68512	molten adj metal	EPO; JPO; DERWENT; IBM_TDB
24	L74	121	64 and 69	EPO; JPO; DERWENT; IBM_TDB
25	L84	2	79 and wrap\$5	EPO; JPO; DERWENT; IBM_TDB
26	L79	11	74 and (casing sheath)	EPO; JPO; DERWENT; IBM_TDB
27	L89	10	((("1441686") or ("1586862") or ("1863772") or ("1980890") or ("1993838") or ("2000182") or ("2060681") or ("2179965") or ("2231274") or ("3118760"))).PN.	USPAT
28	L100	4599	((428/375) or (428/377) or (428/379) or (428/383) or (428/389) or (428/378)).CCLS.	USPAT
29	L101	111	1 and 100	USPAT

	L #	Hits	Search Text	DBs
30	L103	0	102 and 4	USPAT
31	L102	5	101 and 16	USPAT
32	L104	1	("0000075").PN.	USPAT

	L #	Hits	Search Text	DBs
1	L1	11982	core near (wire element)	USPAT; US-PGPUB
2	L4	9209	metal\$4 near (casing sheath)	USPAT; US-PGPUB
3	L7	272	1 and 4	USPAT; US-PGPUB
4	L10	64	7 and wrap\$5	USPAT; US-PGPUB
5	L16	22907	molten adj metal	USPAT; US-PGPUB
6	L19	2	13 and 16	USPAT; US-PGPUB
7	L13	7	10 and paper	USPAT; US-PGPUB
8	L22	35	7 and 16	USPAT; US-PGPUB
9	L28	2	25 and paper	USPAT; US-PGPUB
10	L25	8	22 and wrap\$5	USPAT; US-PGPUB
11	L31	298	1 and 16	USPAT; US-PGPUB
12	L34	37	31 and wrap\$5	USPAT; US-PGPUB
13	L40	5	37 and 4	USPAT; US-PGPUB
14	L37	24	34 and (paper sheet tape)	USPAT; US-PGPUB
15	L43	2857	16 and additive	USPAT; US-PGPUB
16	L46	37	43 and 1	USPAT; US-PGPUB

	L #	Hits	Search Text	DBs
17	L52	3	49 and wrap\$5	USPAT; US-PGPUB
18	L49	17	46 and (casing sheath)	USPAT; US-PGPUB
19	L55	4	49 and insulat\$4	USPAT; US-PGPUB
20	L58	11	46 and insulat\$5	USPAT; US-PGPUB
21	L61	7	58 not 55	USPAT; US-PGPUB
22	L64	16464	core near (wire element)	EPO; JPO; DERWENT; IBM_TDB
23	L69	68512	molten adj metal	EPO; JPO; DERWENT; IBM_TDB
24	L74	121	64 and 69	EPO; JPO; DERWENT; IBM_TDB
25	L84	2	79 and wrap\$5	EPO; JPO; DERWENT; IBM_TDB
26	L79	11	74 and (casing sheath)	EPO; JPO; DERWENT; IBM_TDB
27	L89	10	((("1441686") or ("1586862") or ("1863772") or ("1980890") or ("1993838") or ("2000182") or ("2060681") or ("2179965") or ("2231274") or ("3118760"))).PN.	USPAT
28	L100	4599	((428/375) or (428/377) or (428/379) or (428/383) or (428/389) or (428/378)).CCLS.	USPAT
29	L101	111	1 and 100	USPAT

	L #	Hits	Search Text	DBs
30	L103	0	102 and 4	USPAT
31	L102	5	101 and 16	USPAT
32	L104	1	("0000075").PN.	USPAT
33	L106	329	((75/303) or (75/304) or (75/314) or (75/331)).CCLS.	USPAT
34	L107	7	106 and 1	USPAT
35	L108	5	107 and 16	USPAT
36	L110	0	109 and wrap\$5	USPAT
37	L109	4	108 and 4	USPAT
38	L112	0	111 and 1	USPAT
39	L113	0	111 and "2"	USPAT
40	L114	0	111 and 4	USPAT
41	L115	1	111 and (casing sheath)	USPAT
42	L111	10	106 and wrap\$5	USPAT
43	L116	25	106 and paper	USPAT
44	L118	0	117 and 1	USPAT
45	L119	1	117 and (casing sheath)	USPAT
46	L117	16	116 and 16	USPAT